## Laserliner



## **PowerCross-Laser 5** Combi

## Cross-line laser with green laser cross, three red laser lines and plumb laser

This cross-line laser has a green laser cross and three red laser lines for precise vertical and horizontal levelling. The upper laser cross and the additional plumb laser allow the floor and ceiling to be worked on at the same time. The device can be easily set up in advance using the vial and the height-adjustable feet. The rotatable housing with vernier adjustment mechanism allows the laser line to be precisely positioned. To prevent incorrect measurements, optical signals warn the user when the device is outside the levelling range. Other positive features include the powerful lithium-ion battery for extended periods of operation and a pendulum locking system for safe transportation. When combined with the optional CombiRangeXtender 40, the integral handheld receiver mode allows the red and green laser lines to be detected over long distances and in unfavourable light conditions.

- · Exact horizontal and vertical alignment of objects
- Straightforward plumb function using upper laser cross and additional plumb laser

TECHNICAL DATA	
Self-Levelling Range	±2°
Accuracy	± 0.15 mm / m
Levelling	automatic
Visibility (Typical)*	55 m
Laser Wavelength	515 / 635 nm
Laser Class	2 / < 1 mW (EN 60825-1:2014/ A11:2021 / EN 50689:2021)
Power Supply	Li-ion battery pack 7.4V / 2.6Ah / 19.24Wh
Operating Time	approx. 4 hours
Operating Conditions	0°C 50°C, max. humidity 80% rH, no condensation, max. working altitude 4000 m above sea level
Storage Conditions	-10°C 70°C, max. humidity 80% rH
Dimensions (W x H x D)	120 mm x 200 mm x 120 mm
Weight	1400 g (incl. battery pack)



## SCOPE OF DELIVERY



Item No. 057.300L