

## VarioStand L 120 cm



### High-quality aluminium tripod

This high-quality aluminium tripod allows laser measuring instruments with a 1/4" and 5/8" thread to be set up safely and accurately, irrespective of the ground surface. The crank stroke, the combined tips (rubber/steel) and the telescopic tripod legs provide accurate adjustment.

- Exact and reliable installation of laser measuring instruments
- Easily adaptable to the ground surface thanks to combined rubber and steel tips
- Crank height adjustment and telescopic tripod legs
- With adapter for mounting devices with 1/4" and 5/8" thread

#### TECHNICAL DATA

|                               |   |
|-------------------------------|---|
| <b>Material</b>               | Aluminum  |
| <b>Max. Load Capacity</b>     | 5 kg  |
| <b>Max. Height</b>            | 1200 mm   |
| <b>Min. Height</b>            | 440 mm  |
| <b>Tripod Connection</b>      | 1/4" / 5/8" thread  |
| <b>Operating Conditions</b>   | -20°C ... 60°C, max. humidity 80% rH, no condensation, max. working altitude 4000 m above sea level |
| <b>Storage Conditions</b>     | -20°C ... 70°C, max. humidity 80% rH  |
| <b>Dimensions (W x H x D)</b> | 120 mm x 625 mm x 120 mm x (without accessories)  |
| <b>Weight</b>                 | 1600 g (without accessories)  |



#### SCOPE OF DELIVERY

